

Procedure

Published Date: 06/27/2019

[Thirteen steps for office hysteroscopy with minimal discomfort](#)

<h2>Abstract</h2>
<p>The Office hysteroscopy (OH) is a important procedure to make diagnosis and sometimes, treatment, of intrauterine pathology, without getting the patient to Operating Room. Its advantages are very well known: less costs, fast diagnosis, see and treat and seve...

Rapid Communication

Published Date: 06/20/2019

[Utilization of post abortal contraceptive use and associated factors among women who came for abortion service at Debre Berhan Hospital, Debre Berhan, Ethiopia March 2019: Institution based cross sectional study](#)

<h2>Abstract</h2>
<p>Background: Post abortion family planning (PAFP) is the initiation and use of family planning methods immediately after, and within 48 hours of an abortion, before fertility returns. In most women fertility returns on average abo...

Review Article

Published Date: 06/18/2019

[Trans-abdominal cervical cerclage revisited](#)

<h2>Summary</h2>
<p>Changes in contemporary obstetric and gynaecological practice in relation to ultrasound cervical screening during pregnancy, the treatment of intra-epithelial cervical neoplasia and laparoscopic surgery have resulted in an increased utilization of trans-abdom...

Case Report

Published Date: 05/15/2019

[Autoimmune encephalitis associated with an ovarian teratoma in a 29-year old woman](#)

<h2>Abstract</h2>
<p>NMDA receptor encephalitis is a rare disease first described in 2007. Anti-NMDA receptor encephalitis

affects mostly young women as neoplasms, mostly ovarian teratomas, are the underlying cause. The disease is caused by antibodies binding to extracellular ep...

Case Report Published Date: 05/14/2019

[Hypertriglyceridemia induced acute pancreatitis in pregnancy: Learning experiences and challenges of a Case report](#)

<h2>Summary</h2>
<p>Hyperglyceridemia induced pancreatitis in pregnancy accounts for 4% of all cases of acute pancreatitis. Though rare, hypertriglyceridemia induced pancreatitis may lead to fatal maternal and fetal complications, even maternal death. Its management during pregn...

Case Report Published Date: 05/09/2019

[Giant cellular angiofi broma of the vulva: case report](#)

Cellular Angiofibroma is a rare benign mesenchymal tumor without gender preference. It is usually a small (<3cm), well-circumscribed, mostly asymptomatic and typically slow growing. Surgical removal of the mass with its capsule is the preferred treatment, not only helps guarantee complete exci...

Opinion Published Date: 04/02/2019

[Managing epileptic women in pregnancy](#)

<h2>Opinion</h2>
<p>Epilepsy is commonly seen in women of reproductive age and it is affecting their reproductive and pregnancy outcomes in an adverse manner [1]. It has seen that there are increased numbers of maternal deaths of pregnant women with epilepsy than those who have ...

Research Article Published Date: 12/27/2018

[Immediate postplacental insertion of intrauterine contraceptive device \(copper 375\) and its complications in term of expulsion, infection and perforation](#)

<h2>Abstract</h2>
<p>Objective: To determine the complications (infection, perforation and expulsion rate) of immediate postplacental insertion of intrauterine contraceptive device (Multiload Copper375) in postnatal patients.</p>
<p>&l...

Research Article Published Date: 12/19/2018

[The predictive value of the preoperative diagnostic tests in mature cystic teratomas of the ovary](#)

<h2>Abstract</h2>
<p>Aim: The aim of this study was to determine the sensitivity of the tumor markers and diagnostic methods used in the preoperative period for dermoid cysts, the most common benign neoplasm of the ovary.</p>
<p><st...